



ACTIVE



INFORMATION ABOUT THE PRODUCT

Dimensions	430 x 777 cm
Safety zone	866 x 1127 cm
Safety zone area	57 m²
Overall height	451 cm
Free fall height	294 cm
Amount of users	21
Product complies with EN 1176-1:2017-12	YES
Availability of spare parts	YES
Age range	3-12
According to EN 1176-1:2017-12 norm, the product requires applying a safety surface according to the product's free fall height.	








ACTIVE

1120

INFORMATION FOR ARCHITECTS



MATERIALS:


CONSTRUCTION ELEMENTS MADE OF STAINLESS AISI 304

TUB

TUBE SLIDE MADE OF STAINLESS STEEL AISI 304

CLIMBING ROCKS MADE OF CHIPPINGS AND COLOURFUL POLYESTER

SLIDES MADE OF STAINLESS SOLID AND ESTHETIC ROPE STEEL AISI 304, SIDE PANELS CONNECTORS MADE OF HDPE POLYETHYLENE OF INJECTION MOLDED POLYAMIDE



ANTI-SLIP BLUE 13 MM HPL
PLATES OF THE WALLAS
MADE OF COLOURFUL
TRIPLE LAYERED 15 MM
HDPE POLYETHYLENE, IN

ROPE ENDINGS PRESSED IN A SLEEVE MADE OF DURABLE ALUMINUM ALLOY



THE HIGHEST QUALITY

POLYPROPYLENE ROPES PPMULTISPLIT TYPE WITH A STEEL CORE AND A DIAMETER OF 16 MM



HEMISPHERIC WINDOW

400 MM, MADE OF HEAT-

WITH A DIAMETER OF

THE TIC TAC TOE GAME IS MADE OF POLYETHYLENE RATATIONALLY MOLDED WITH SYMBOLS ON THE

SOLID CONSTRUCTION MADE BLACK STEEL S235JR CLEANED IN THE SANDBLASTING PROCESS



POST ENDINGS FINISHED WITH SOFT EPDM RUBBER



PLATES OF THE WALLS AND PLATFORMS MADE OF COLOURFUL 13 MM

HPL IN THE HIGHEST











